

User manual

Oneremote converter installed in a Beo4.



OneRemote RMB4 Converter for Beo4




Type 35104354 controls

Apple

MAC PC
Apple TV
iPod dock




Control Table, daily use.

Apple Everyday Controls	
SAT / DTV	Enable Apple control *3
	Select
	Menu
	Play/ pause *1

*1 Press 6 seconds to power off an Apple device. Press shortly to power on.

Pressing the source button *3 on the Beo4 makes two things happen:

1. Selects the input on the B&O TV where the Apple TV is connected to. *4
2. Change Beo4 to now control Apple TV, instead of B&O devices. *3
Press  to power on the Apple Device, if it is powered off.

*3

Factory source default is **SAT** or **DTV**.

Refer to the installation manual if another source button is preferred, like **PC**, **AMEM2**, **AAUX** or else.

*4

Factory default is the socket named **VAUX**.

Refer to the installation manual if another socket is preferred, like **PC**, **AMEM2**, **AAUX** or else.

Connecting Apple to a Bang & Olufsen TV, operate with a Beo4.

With this OneRemote RMB4 converter installed in your Bang & Olufsen Beo4 remote control terminal you may control any Apple device, that can be operated with an Apple IR remote control like the ones shown below. Thus, both your Apple Devices and your B&O products can be operated at the same time.

All Apple TVs can be controlled with IR and therefore also with this converter. Also, the latest versions delivered with Bluetooth remote controls.

This guide explains how.

